


Baptisms take place every week in houses of worship across the country. While, thankfully, the overwhelming majority of baptisms go off without a hitch, churches should be aware of the dangers that accompany the mix of water, people and electricity that baptisms – especially baptisms by immersion – entail.

Electrical Safety

Since human skin acts as a conductor when wet or moist, anyone working with or around electricity in a damp environment should always exercise extreme caution. For that reason, only cordless, battery-powered microphones should be used around baptisteries. If cordless microphones are not an alternative for your church, consider these safeguards:

- ❑ Suspend any corded microphone from the ceiling above the baptistry or use a wireless microphone.
- ❑ All electrical equipment surrounding a baptistry should be plugged into a GFCI outlet. Be sure to have a certified electrician install the GFCI and check that it is working properly.
- ❑ Baptismal water heaters should be installed by a licensed electrician and should be properly grounded. Periodic inspection of the water heater and its grounding by a licensed electrician is recommended.



This photo illustrates a baptistry with a 240V exposed outlet that is used for a temporary heater. Outlets should be safely away from all water sources.



This photo illustrates a corded microphone installed in the baptistry. The risk of electrocution is present for anyone in the baptistry who could contact the microphone. The microphone in this photo should be relocated and suspended from the ceiling or replaced with a cordless microphone.

Slips and Falls

The area surrounding a baptistry will more than likely be wet, especially after a baptism, which could result in someone slipping and falling. Individuals being baptized also can slip and fall when entering and exiting the tank or from slipping on the floor of the tank itself. In addition, falls into the baptistry even when it is not in use happen with some regularity. Choir members, actors, or others involved in stage or choir productions can be at risk for falling into uncovered baptisteries, especially those located toward the rear of the stage.

Several safeguards should be taken to prevent a slip or fall, including the following:

Several safeguards should be taken to prevent a slip or fall, including the following:

- ❑ Adding no-slip adhesive on the stairs leading into the baptistry;
- ❑ Using handrails that extend just beyond the stairs so people can enter and exit the baptistry safely;
- ❑ Having carpet or other no-slip floor covering installed around the baptistry;
- ❑ Using signs or cones to warn people that the area is wet;
- ❑ Keeping the area around the baptistry well-lit; and
- ❑ Making sure to cover the baptistry when it is not in use.



The above baptistry is a good example of providing a carpeted surface around the tank to reduce slips and falls as individuals enter and exit the tank. However, this tank still poses a slip and fall hazard as there are no handrails for the steps leading into the baptistry. The lack of handrails will significantly increase the likelihood of a fall.



The above baptistry is raised above the floor and would pose some of the same hazards as when entering and exiting a household bath tub. Balance will be an issue as individuals would periodically have to place their weight on one leg when entering or exiting the tank. Slips and falls could be reduced by applying a non-slip surface to the bottom of the tank, as well as placing carpet or a non-slip floor mat outside the tank.

Water Damage

When filled, baptistry tanks can contain several hundred gallons of water. If overfilling or leaking of the baptistry tank occurs, water damage can result. Prevent water damage from occurring by:

- ❑ Always having someone monitor the baptistry when it is being filled.
- ❑ Inspect all water lines and connections for possible leaks, including fill lines and drain lines.
- ❑ Once the tank is filled, monitor the water level closely. If you notice a drop in the water level, this is a good indicator that the tank is leaking and the water is going somewhere.
- ❑ Having an overflow prevention pipe installed. Make sure the pipe remains clear.

Safeguard Your Ministry

It's easy to safeguard your ministry by following the tips given here on electrical safety, slips and falls, and water damage. These tips will not only protect your congregation, but the foundation of your church.